



October 21, 2024

Onondaga CSD
Onondaga CSD
4466 S Onondaga Rd
Nedrow, NY 13120

RE: Project: ROCKWELL ES 10/9
Pace Project No.: 70317245

Dear Onondaga CSD:

Enclosed are the analytical results for sample(s) received by the laboratory on October 10, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Latoya Sobratie
latoya.sobratie@pacelabs.com
516-370-6020
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: ROCKWELL ES 10/9
Pace Project No.: 70317245

Pace Analytical Services, LLC - Melville, NY

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: ROCKWELL ES 10/9
 Pace Project No.: 70317245

Sample: 54 RM #1025		Lab ID: 70317245001	Collected: 10/09/24 06:30	Received: 10/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.3	ug/L	1.0	1		10/21/24 14:54	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: ROCKWELLES 10/9
 Pace Project No.: 70317245

Sample: 55 RM #315		Lab ID: 70317245002	Collected: 10/09/24 06:30	Received: 10/10/24 07:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.4	ug/L	1.0	1		10/21/24 11:56	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: ROCKWELL ES 10/9
 Pace Project No.: 70317245

QC Batch: 367382	Analysis Method: EPA 200.8
QC Batch Method: EPA 200.8	Analysis Description: 200.8 MET No Prep Drinking Water
	Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70317245001, 70317245002

METHOD BLANK: 1917712 Matrix: Water
 Associated Lab Samples: 70317245001, 70317245002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	10/21/24 11:37	

LABORATORY CONTROL SAMPLE: 1917713

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.8	102	85-115	

MATRIX SPIKE SAMPLE: 1917715

Parameter	Units	70317350001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L		1.6	50	40.9	79	70-130

MATRIX SPIKE SAMPLE: 1917717

Parameter	Units	70317350002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L		<1.0	50	38.8	76	70-130

SAMPLE DUPLICATE: 1917714

Parameter	Units	70317350001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L		1.6	1.7	1

SAMPLE DUPLICATE: 1917716

Parameter	Units	70317350002 Result	Dup Result	RPD	Qualifiers
Lead	ug/L		<1.0	<1.0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: ROCKWELL ES 10/9

Pace Project No.: 70317245

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ROCKWELL ES 10/9

Pace Project No.: 70317245

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70317245001	54 RM #1025	EPA 200.8	367382		
70317245002	55 RM #315	EPA 200.8	367382		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Rockwell E.S.

LSL
 Life Science Laboratories, Inc.
 5854 Butternut Drive
 East Syracuse, NY 13057
 Phone # (315) 445-1900
 Phone # (315) 445-1104

NO# : 70317245

Chain of Custody Record

Client: Onondaga CSD
Address: 446 S. Onondaga Rd.
 Hedrow NY 13120

Telephone: (315) 445-1104
Phone #: 315-552-5091
Fax #:

Contact Person:
L.S.L. Project #:
Client's Site I.D.:

LSL Sample Number	Client's Sample Identifications	Authorization:		Sample Date	Sample Time	Type grab comp.	Matrix	Preserv. Added	Containers		Analyses	Free Cl (mg/L)	Pres. Check
		Sample Date	Sample Time						#	size/type			
54	Run # 102 S.	10/9/24	6:30	X		PW	None	1	250 mL	1	Lead		
55	Run # 131 S.	10/9/24	6:30	X				1		1			
				X				1		1			
				X				1		1			
				X				1		1			
				X				1		1			
				X				1		1			
				X				1		1			
				X				1		1			
				X				1		1			
				X				1		1			
				X				1		1			
				X				1		1			
				X				1		1			
				X				1		1			

Notes and Hazard Identifications:

Custody Transfers

Sampled and Relinquished By: *Shane Ferrillo*
 Print Name: *Shane Ferrillo*
 Signature: *[Signature]*
 Date: 10/9/24

Received By: *[Signature]*
 Date: 10/9/24 1300

Relinquished By: *[Signature]*
 Date: 10/10/24 700

Received for Lab By: *AMANDA PAGE LI*

Retention Method: Y N

Client: **ONONCS**
 Work ID: **ROCKWELL ES 109**

Profile #: **11104**

Use Point Number Spreadsheet Multitask Project
 Add SCLOGFD to first sample for field charge

COC Line Item	Material	Quantity	Unit	Notes
1	AG4U			
2	AG3U			
3	AG2U			
4	AG1U			
5	AG3S			
6	AG4E			
7	AG3T			
8	AG2R			
9	AG1T			
10	AG5U			
11	AG1A			
12	AG4A			
13	CG1U			
14	WG90			
15	WG40			
16	BP4U			
17	BP3U			
18	BP2U			
19	BP1U			
20	BP3S			
21	BP2S			
22	BP4N			
23	BP3N			
24	BP2N			
25	BP3C			
26	BP2T			
27	BP3T			
28	BP35			
29	BP3R			
30	BP12			
31	BP1N			
32	BP1B			
33	SP5T			
34	WG2U			
35	WG1U			
36	WG3U			
37	WG4U			
38	WG5U			
39	WG6U			
40	WG7U			
41	WG8U			
42	WG9U			
43	WG0U			
44	ZPLC			
45	GN			
46	BP3N			
47	BP3N			
48	BP3N			
49	BP3N			
50	BP3N			
51	BP3N			
52	BP3N			
53	BP3N			
54	BP3N			
55	BP3N			
56	BP3N			
57	BP3N			
58	BP3N			
59	BP3N			
60	BP3N			
61	BP3N			
62	BP3N			
63	BP3N			
64	BP3N			
65	BP3N			
66	BP3N			
67	BP3N			
68	BP3N			
69	BP3N			
70	BP3N			
71	BP3N			
72	BP3N			
73	BP3N			
74	BP3N			
75	BP3N			
76	BP3N			
77	BP3N			
78	BP3N			
79	BP3N			
80	BP3N			
81	BP3N			
82	BP3N			
83	BP3N			
84	BP3N			
85	BP3N			
86	BP3N			
87	BP3N			
88	BP3N			
89	BP3N			
90	BP3N			
91	BP3N			
92	BP3N			
93	BP3N			
94	BP3N			
95	BP3N			
96	BP3N			
97	BP3N			
98	BP3N			
99	BP3N			
100	BP3N			

Material	Description	Quantity	Unit
SP5T	Misc. 120mL Colliform Na Thio		
R	Terracore Kit		
WG2U	2oz Unpreserved Jar		
WG1U	4oz Unpreserved Jar		
WG3U	8oz Unpreserved Jar		
WG4U	16oz Unpreserved Jar		
ZPLC	Ziplock Bag		
TEDL	Tedlar Bag		
BGTH	1L HCl Clear Glass		
GN	General		
WP	Wipe		
LLHG	Low Level Hip Beiltes		
BGIN	1L HNO3 Clear Glass		

Material	Description	Quantity	Unit
BP4U	125mL unpreserved plastic		
BP3U	250mL unpreserved plastic		
BP2U	500mL unpreserved plastic		
BP1U	1L unpreserved plastic		
BP4N	125mL HNO3 plastic		
BP3N	250mL HNO3 plastic		
BP2N	500mL HNO3 plastic		
BP3S	250mL H2SO4 plastic		
BP2S	500mL H2SO4 plastic		
BP3C	NaOH 250mL bottle		
BP2T	250mL Trizma		
BP3S	250mL Ammonium Acetate		
BP3R	250mL NH4SO4-NH4OH		
BP1T	1L NaOH, Zn Acetate		
BP1B	1L HNO3 plastic		
BP1N	Na Thiosulfate Amber Bottle		

Material	Description	Quantity	Unit
AG4U	125mL unpres glass		
AG3U	250mL unpres glass		
AG2U	500mL unpres glass		
AG1U	1L unpres glass		
AG34	Ammonium Cl 250mL bottle		
AG3S	250mL H2SO4 amber glass		
AG4E	125mL EDA amber glass		
AG3T	250mL Na Thio amber glass		
AG2R	Na Sulfite 500mL (blue cap)		
AG1T	Na Thiosulfate 1L bottle		
AG1A	1L Ammonium Chloride		
AG3U	100mL unpres Amber Glass		
AG44	Ammonium Cl 120mL bottle		

Material	Description	Quantity	Unit
BP1U	1L unpreserved plastic		
BP3N*	250mL HNO3 plastic		
BP3C	250mL Sodium Hydroxide		
AG2U	500mL unpres amber glass		
BP3U	250mL unpreserved plastic		

Material	Description	Quantity	Unit
VC3T	40mL Na Thio amber vial		
DG5A	40mL Ascorbic Acid 40mL		
DG5Y	Citrate/Na Thiosulfate 40mL		
DC6M	Monochloroacetic Na Thio 60mL		
AG3U	250mL unpres amber glass		
AG3T	Na Thiosulfate 250mL bottle		
AG1B	Na Thiosulfate Amber bottle		
AG1T	Na Thiosulfate 1L Amber		
AG1A	535.3 Chemical Blend		

Material	Description	Quantity	Unit
WT	Water		
SL	Solid		
NAL	Non-aqueous Liquid		
OL	OIL		
WP	Wipe		
DW	Distilled Water		

* Can also be a BP4N

Sender Initials: **ADJ**

WO# : 70317245
PM : LS2 **Due Date: 10/24/24**
CLIENT: ONONCS

WO#: 70317245

Client Name: Ononcsd Project # _____

PM: **LS2** Due Date: **10/24/24**

Courier: Fed Ex UPS USPS Client Commercial Pace Other

CLIENT: ONONCSD

Tracking #: _____

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No Temperature Blank Present: Yes No

Packing Material: Bubble Wrap Bubble Bags Ziploc Non Other Type of Ice: ~~Wet~~ Blue None

Thermometer Used: JH2U Correction Factor: 10.3 Samples on ice, cooling process has begun

Cooler Temperature (°C): 1.4 Cooler Temperature Corrected (°C): 1.4 Date/Time 5035A kits placed in freezer _____

Temp should be above freezing to 6.0°C

USDA Regulated Soil (N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? Yes No

Did samples originate from a foreign source including Hawaii and Puerto Rico? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: ASF 10/11/24

	COMMENTS:
Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used: <u>ASF 10/11/24</u> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note: if sediment is visible in the dissolved container.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix: SL WT OIL OTHER	

Date and Initials of person checking preservation: ASF 10/11/24

All containers needing preservation have been <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input checked="" type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot #	Sample # <u>A11</u>
All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH > 9 Sulfide, <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A NAOH > 12 Cyanide)	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis	Initial when completed: <u>7-72</u> Lot # of added preservative: <u>24057369</u> Date/Time preservative added: <u>10/11/24 17:58</u>
Samples checked for dechlorination: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
KI starch test strips Lot #	Positive for Res. Chlorine? Y N
Residual chlorine strips Lot #	15. Positive for Sulfide? Y N
SM 4500 CN samples checked for sul <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Lead Acetate Strips Lot #	16.
Headspace in ALK Bottle (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17.
Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____

Date/Time: _____

Comments/ Resolution: _____

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.